DIETZ GROUP

SHAPING LIFE

Order form

CANEO_XL 200 kg

Status 2026-06 / Version 12.2

Completing the order form on paper

Simply print out the order form, check the relevant component boxes
to configure the product, sign the form and send it to us at: Fax: +49 7248.9186 - 86

Completing the form on a computer or tablet

Save the form on your device with a name of your choice and send it to us by e-mail:
info@dietz-group.de or print it and send it via fax to: +49 7248.9186 - 86

■ Square filled selection fields indicate that these options are included in the standard.

☐ Square selection fields are not subject to any conditions and are freely selectable and deselectable.

Printing errors, mistakes and changes to prices and products reserved. © DIETZ Gmbh REHA-PRODUKTE, Karlsbad
You can find our general terms and conditions at: https://shop.dietz-group.de/allgemeine-geschaeftsbedingungen-agb

Details to your order:

☐ Offer based on Order

☐ Offer based on selling price

☐ Offer based on purchase price

Healthcare supply store	
Customer no.	
Delivery address	
Commission	
Diagnosis	
Health insurance	
Comments	
Date, signature and Company stamp	

CANEO_XL 200 kg

Folding wheelchair reinforced

TECHNICAL DATA	CANEO_XL 200 kg
Colour	ivory
Seat width (mm)	560 / 600
Seat depth* (mm)	400 / 440
Seat height* (mm)	440 / 470
Backrest height (mm)	400
Overall width (mm)	760 / 800
Overall height (mm)	920-950
Overall length (mm)	1150-1200
Overall length w/o leg supports (mm)	850
Overall width folded (mm)	340
Arm support height* (mm)	230
Arm support width (mm)	60
Lower leg length* (mm)	420–510 in steps of 15 mm
Rear wheels diameter (inch)	24× 1 3/8 heavy duty
Front wheels diameter (inch)	7 × 1 ¾
Max. load (kg)	200
Weight (kg)	27,0 - 29,0

* adjustable

Product details
Basic configuration

- Steel frame painted
- Tipping stability up to 10°
- Backrest angle 3° with lumbar bend
- Adjustable backrest (Velcro)
- Reinforced steel sideguards, swiveling to the rear
- Reinforced Rear wheel connection
- Arm support adjustable in desk- and long length and in height
- Reinforced, high-quality plastic covers
- Leg supports swiveling sideways / removable
- Aluminium footboard
- Foot plates height and angle adjustable with heel straps
- Park brake / drum brake (depending on verision)
- CANEO_XL is tested according to ISO standard 7176-19 with a power node system

Key dimensions and specifications

Together with the height and weight of the user, these are the key dimensions allowing us to align the wheelchair perfectly to the needs of the user.







Personal data:

	Age of customer	
	Height (cm)	
	Weight (kg)	
1	Seat width (cm)	
2	Seat depth (cm) Length of upper leg less two finger breadths	
3	Height of backrest (cm) From seat surface to below the shoulder blades	
4	Lower leg length (cm) For the correct heigth of the foot plate	
5	Seat height, front (cm) Length of lower leg + sufficient clearance between foot plate and ground (at least 4 cm)	
6	Seat height, back (cm) Depends on front seat height, seat angle and seat depth	

Order form CANEO_XL 200 kg

Item no.	Designation	Notice	Price excl. VAT
	SELECT THE RIGHT SEAT WIDTH		
☐ 151056	CANEO_XL SW 560 mm **200 kg**	with locking brake	2.797,50
☐ 151060	CANEO_XL SW 600 mm **200 kg**	with locking brake	2.907,50
☐ 151156	CANEO_XL SW 560 mm **200 kg**	with locking- & drum brake	2.997,50
☐ 151160	CANEO_XL SW 600 mm **200 kg**	with locking- & drum brake	3.107,50
	No tools are needed to reconstruct the seat depth from 400 mm to 440 mm - independent of seat width		
	SELECT THE RIGHT SEAT HEIGHT		
☐ 196297	Seat height 470 mm	standard	0,00
☐ 999944	Seat height 440 mm		31,00
	The modification can be done by your specialist retailer without additional material.		
	SELECT LEG SUPPORT		

STD leg support



Amputee leg support

Elevating leg support

☐ STD	Leg support left, **footplates height - & angle adjustable**	incl. aluminium footboard	0,00
☐ STD	Leg support right, **footplates height - & angle adjustable**		0,00
☐ 198004	Amputee leg support, **left**		143,00
☐ 198000	Amputee leg support, **right**		143,00
☐ 198010	Elevating leg support left, horizontal angle adjustable **(SW 560 – 600 mm)**		205,00
☐ 198016	Elevating leg support right, horizontal angle adjustable **(SW 560 – 600 mm)**		205,00
	OPTIONs OF POSITIONING		



■ Standard	Adjustable back (Velcro)	assembled	0,00
	SEAT CUSHION		
☐ 196334	Seat cushion **SW 560 mm x SD 400**, cushion height 90 mm	water repellent cover	220,00
☐ 196335	Seat cushion **SW 560 mm x SD 440**, cushion height 90 mm	water repellent cover	220,00
☐ 196336	Seat cushion **SW 600 mm x SD 400**, cushion height 90 mm	water repellent cover	220,00
☐ 196337	Seat cushion **SW 600 mm x SD 440**, cushion height 90 mm	water repellent cover	220,00
☐ 420220	Vicair Xxtra 02 seat cushion **SW 560 mm (550 mm x 450mm x 100 mm)**	anti-decubitus seat cushion	1.181,00
☐ 420221	Vicair Xxtra 02 seat cushion **SW 600 mm (600 mm x 450mm x 100 mm)**	anti-decubitus seat cushion	1.181,00
	Deviations from the wheelchair dimensions of +/-20 mm are negligible.		

Order form CANEO_XL 200 kg

Item no.	Designation	Notice	Price excl. VAT
	AUXILIARY DRIVE		
346077	Solo+ black series, wheel hub drive, incl. lithium-ion battery		8.590,00
346072	Braket Solo+ black series		256,00
346061	Attendant control SmartControl, sliding and operating handle		638,00
346062	Holder attendant control SmartControl		148,00
	PUSHING AND BRAKING AID		
346066	V-Max+ pushing and braking aid, 12V/22AH, up to 200kg		7.390,00
346076	Braket V-Max+		256,00
	VARIOUS OPTIONS		
195045	Activity tray (SW 560 mm)		296,00
195047	Activity tray (SW 600 mm)		336,00
190054	Activity tray half size, foldable down, **left/right**		248,00
195017	Power node system with long lap belt (SW 560 – 600 mm)	assembled	1.354,00
196236	Anti-tip-wheel **left**		48,90
196237	Anti-tip-wheel **right**		48,90
190033	Park brake one-hand drive, incl. brake lever extension 100 mm, **left**		297,00
190034	Park brake one-hand drive, incl. brake lever extension 100 mm, **right**		297,00
198065	Brake lever extension, park brake, **left**		28,30
198064	Brake lever extension, park brake, **right**		28,30
700106	Wheel set, air 7 × 1¾˝		43,70
700103	Wheel set, air 24 × 1 3/8˝		43,70
198069	Spoke guard with fittings, **transparent for drive wheel 24"**		104,00
196252	Headrest with mounting The headrest cannot be combined with the drum brake.	not suitable for car use	429,00
196255	Stick/caneholder with fittings **(25 mm tube diameter)**	for max. 2 sticks	22,30
402114	Lap belt **(press with metal buckle) 1800 mm adjustable in length**	not suitable for car use	34,90
190053	Infusion holder, **stainless steel with two arm holder of plastic, ca. 1000 mm**		193,00
196256	Push rim cover silicon 24˝ **black/grooved**		75,60
196257	Push rim cover silicon 24˝ **black/smooth**		75,60
196259	Folding lock **black**		69,60
268	Backrest print with customer logo/design If you would like an individual back print, please contact us!		**on request**

DIETZ GROUP

Product group: Manual wheelchair
Product: CANEO_XL 200 kg

DIETZ GmbH
Reutäckerstraße 12
76307 Karlsbad
info@dietz-group.de
www.dietz-group.de