


Order form CANEO_E

State 2024-01 / version 7.0





Shaping mobility.



TECHNICAL DATA	CANEO_E		
Colour	ivory		
Seat width (mm)	390/420/450	480/510	
Seat depth* (mm)	400 /	440	
Seat height* (mm)	420–510 in st	eps of 30 mm	
Backrest height (mm)	400 / 430		
Overall width (mm)	seat width + 200 mm		
Overall height (mm)	830-920		
Overall length (mm)	1070-1120		
Overall length w/o leg supports (mm)	780		
Overall width folded (mm)	310		
Arm support height* (mm)	240/260/280		
Arm support width (mm)	60		
Lower leg length* (mm)	420–510 in steps of 15 mm		
Rear wheels diameter (inch)	24×13/8		
Front wheels diameter (inch)	7 × 1 ¾		
Max. load (kg)	125	130	
Weight (kg)	16,4-17,1	17,8-18,0	

* adjustable

Product details Basic configuration

- Corrosion resistant aluminium frame
- Tipping stability up to 10°
- Backrest angle 3° with lumbar bend Seat plane angle 3° (0°/6°)
- Arm support adjustable in desk- and long length and in height
- Side panels swiveling backwards
- Lower leg length adjustable in
 15 mm-steps from 420 bis 510 mm
- Foot plates height and angle adjustable with heel straps
- Park brake / drum brake (depending on verision)
- Drive wheels PU 24" incl. quick release axle, swivel wheels PU 7"
- Crash-test certified according to ISO 7176-19; approved for passenger transport in the vehicle with headrest suitable for transport

Completing the order form on paper

Simply print out the order form, check the relevant component boxes to configure the product, sign the form and send it to us at: Fax: +49 7248.9186 - 86

Completing the form on a computer or tablet

Save the form on your device with a name of your choice and send it to us by e-mail: info@dietz-group.de or print it and send it via fax to: +49 7248.9186 - 86

Details to your order:

Offer based on Order


Offer based on selling price


Offer based on purchase price


Healthcare supply store	
Customer no.	
Name of patient/commission	
Delivery address	
Comments	
Health insurance	
Stamp	
Date and signature	

Key dimensions and specifications

Together with the height and weight of the user, these are the key dimensions allowing us to align the wheelchair perfectly to the needs of the user.







Personal data:

	Age of customer	
	Height (cm)	
	Weight (kg)	
1	Seat width (cm)	
2	Seat depth (cm) Length of upper leg less two finger breadths	
3	Height of backrest (cm) From seat surface to below the shoulder blades	
4	Lower leg length (cm) For the correct heigth of the foot plate	
5	Seat height, front (cm) Length of lower leg + sufficient clearance between foot plate and ground (at least 4 cm)	
6	Seat height, back (cm) Depends on front seat height, seat angle and seat depth	

Order form CANEO_E			
ltem no.	Designation	Notice	Price excl. VA
	SELECT THE RIGHT SEAT WIDTH		
	SELECT THE RIGHT SEAT WIDTH		
220139	CANEO_E SW 390 mm	with locking brake	910,00
220142	CANEO_E SW 420 mm	with locking brake	910,00
220145	CANEO_E SW 450 mm	with locking brake	910,00
220148	CANEO_E SW 480 mm	with locking brake	910,00
220151	CANEO_E SW 510 mm	with locking brake	960,00
221139	CANEO_E SW 390 mm	with locking- & drum brake	1.060,0
221142	CANEO_E SW 420 mm	with locking- & drum brake	1.060,0
221145	CANEO_E SW 450 mm	with locking- & drum brake	1.060,00
221148	CANEO_E SW 480 mm	with locking- & drum brake	1.060,00
221151	CANEO_E SW 510 mm	with locking- & drum brake	1.110,00
	No tools are needed to reconstruct the seat depth from 400 mm	•	
	SELECT THE RIGHT SEAT- & BACK HEIGHT		
196286	Seat height 510 mm	standard	0,0
999942	Seat height 420 mm		28,1
999945	Seat height 450 mm		28,1
999948	Seat height 480 mm		28,1
	OPTION WHEELBASE EXTENSION		
999900	Conversion to the extended wheelbase of 70 mm	assembled	26,9
	SELECT LEG SUPPORT		
	STD leg support Amputee leg s	upport Elevating	leg support
STD	Leg support left, footplates height - & angle adjustable		0,0
STD	Leg support right, footplates height - & angle adjustable		0,0
010	Amputee leg support, left		135,9
198004			135,90
	Amputee leg support, right		155,9
198004		ustable (SW 360 - 440 mm)	179,00
] 198004] 198000	Amputee leg support, right		
] 198004] 198000] 198091	Amputee leg support, right Elevating leg support with gas spring/left, infinitely angle adju	djustable (SW 360 - 440 mm)	179,00


Order form CANEO_E

tem no.

Notic

Price excl. VAT

OPTIONS OF POSITIONING



190042	Adjustable back (Velcro)	seat width 390	101,10
190043	Adjustable back (Velcro)	seat width 420	101,10
190044	Adjustable back (Velcro)	seat width 450	101,10
190045	Adjustable back (Velcro)	seat width 480	101,10
190046	Adjustable back (Velcro)	seat width 510	101,10

SIDE PANELS WITH ARMRESTS

STD	Side panel with armrests, length adjustable (desk + long) (pair)	standard	0,00
198020	Side panels, length adjustable (desk + long) and height adjustable, (pair)		195,40

EMI ARMRESTS



WHEELCHAIR SET







150,10

Anti-up wi

404076

Wheelchair set consisting of: Walking stick holder for 1-2 sticks, anti-tip wheels right and left, lap belt with 2-point seat belt lock "Press"

6/8

Order form CANEO_E			
ltem no.	Designation	Notice	Price excl. VAT
	VARIOUS OPTIONS		
470060	Activity tray (SW 390 - 450 mm)		115,00
470061	Activity tray (SW 480 + 510 mm)		135,00
190054	Activity tray half size, foldable down, left/right		220,20
195016	Power node system with short lap belt (SW 360 - 420 mm)	assembled	1.314,70
195008	Power node system with short lap belt (SW 450 – 510 mm)	assembled	1.314,70
195015	Power node system with long lap belt (SW 360 – 420 mm)	assembled	1.314,70
195007	Power node system with long lap belt (SW 450 – 510 mm)	assembled	1.314,70
196236	Anti-tip-wheel left		46,50
196237	Anti-tip-wheel right		46,50
190033	Park brake one-hand drive, left		283,00
190034	Park brake one-hand drive, right		283,00
			200,00
197039	One-hand drive wheel, left	not in combination with spokeguard	on reque
190034	One-hand drive wheel, right	& drum brake	
198065	Brake lever extension, park brake, left		26,90
198064	Brake lever extension, park brake, right		26,90
700100			
700106	$\frac{\text{Wheel set, air 7 \times 1\%}}{\text{Wheel set, air 9.4 - 13.4\%}}$		41,60
700103	$\frac{\text{Wheel set, air 24 \times 13/8"}}{Output of the set o$		41,60
198069	Spoke guard with fittings, transparent for drive wheel 24 "		98,80
196252	Headrest with mounting (SW 420 – 510 mm)	not suitable for car use	409,00
	The headrest cannot be combined with the drum brake.		
196260	Stick/caneholder with fittings (25 mm tube diameter)	for max. 2 sticks	20,90
402114	Lap belt (press with metal buckle) 1800 mm adjustable in length	not suitable for car use	32,60
190053	Infusion holder, stainless steel with two arm holder of plastic, ca. 1000 mm		170,80
	Duch rim covor silicon 2.4" black/growed		71 0
196256	Push rim cover silicon 24 [°] black/grooved Push rim cover silicon 24 [°] black/smooth		71,90
196257	FUSITIIII CUVEI SIUCUITZA DIBCK/SMOOTA		71,9
196259	Folding lock black		66,20
268	Backrest print with customer logo/design		on reques
	If you would like an individual back print, please contact us!		·



Productgroup: Manual wheelchairs Product: CANEO_E

DIETZ GmbH Reutäckerstraße 12 76307 Karlsbad info@dietz-group.de www.dietz-group.de

Misprint, falsities, price and product changes reserved. © DIETZ GmbH, Karlsbad Please find our General Terms and Conditions at https://shop.dietz-group.de/allgemeine-geschaeftsbedingungen-agb