

Order form CANEO_B

State 2024-01 / version 7.0



Shaping mobility.



TECHNICAL DATA	CANEO_B		
Colour	anthracite		
Seat width (mm)	390/420/450	480/510	
Seat depth* (mm)	400 /	440	
Seat height* (mm)	480 /	⁷ 510	
Backrest height (mm)	400		
Overall width (mm)	seat width + 200 mm		
Overall height (mm)	890-920		
Overall length (mm)	1070-1120		
Overall length w/o leg supports (mm)	810		
Overall width folded (mm)	310		
Arm support height* (mm)	230		
Arm support width (mm)	60		
Lower leg length* (mm)	420-510 in steps of 15 mm		
Rear wheels diameter (inch)	24×13/8		
Front wheels diameter (inch)	7 × 1 ¾		
Max. load (kg)	130	140	
Weight (kg)	18,7	19,5	

^{*} adjustable

Product details Basic configuration

- Steel frame painted
- Tipping stability up to 10°
- Backrest angle 3° with lumbar bend Seat plane angle 3° (0°/6°)
- Arm support adjustable in desk- and long length and in height
- Covers made from high-quality nylon
- Side panels swiveling backwards
- Leg supports, swivelling outwards, removable
- Foot plates height and angle adjustable with heel straps
- Park brake / drum brake (depending on verision)
- Crash-test certified according to ISO 7176-19; approved for passenger in the vehicle with power node system

Completing the order form on paper

Simply print out the order form, check the relevant component boxes to configure the product, sign the form and send it to us at: Fax: +49 7248.9186 - 86

Completing the form on a computer or tablet


Save the form on your device with a name of your choice and send it to us by e-mail: info@dietz-group.de or print it and send it via fax to: +49 7248.9186 - 86


Date and signature


Details to your order:		
Offer based on Order		
Offer based on selling price		
Offer based on purchase pri	се	
	Healthcare supply store	
	Customer no.	
	Name of patient/commission	
	Delivery address	
	Comments	
	Health insurance	
	Stamp	

Key dimensions and specifications

Together with the height and weight of the user, these are the key dimensions allowing us to align the wheelchair perfectly to the needs of the user.








Personal data:

	Age of customer	
	Height (cm)	
	Weight (kg)	
1	Seat width (cm)	
2	Seat depth (cm) Length of upper leg less two finger breadths	
3	Height of backrest (cm) From seat surface to below the shoulder blades	
4	Lower leg length (cm) For the correct heigth of the foot plate	
5	Seat height, front (cm) Length of lower leg + sufficient clearance between foot plate and ground (at least 4 cm)	
6	Seat height, back (cm) Depends on front seat height, seat angle and seat depth	

	Order form CANEO_B	
Item no.	Designation Notice	Price excl. VAT
	SELECT THE RIGHT SEAT WIDTH	
110039	CANEO_B SW 390 mm with locking b	rake 710,00
110042	CANEO_B SW 420 mm with locking b	rake 710,00
110045	CANEO_B SW 450 mm with locking b	rake 710,00
110048	CANEO_B SW 480 mm with locking b	rake 710,00
110051	CANEO_B SW 510 mm with locking b	rake 760,00
110139	CANEO_B SW 390 mm with locking- 8	& drum brake 860,0 0
110139	CANEO_B SW 420 mm with locking-8	
110142	CANEO_B SW 450 mm with locking -8	
110148	CANEO_B SW 480 mm with locking- 8	
110151	CANEO_B SW 510 mm with locking- 8	
	No tools are needed to reconstruct the seat depth from 400 mm to 440 mm - independent of seat	<u> </u>
	SELECT THE RIGHT SEAT HEIGHT	
STD	Seat height 510 mm standard	0,00
999948	Seat height 480 mm	28,10
	The modification can be done by your specialist retailer without additional material.	
	OPTION WHEELBASE EXTENSION	
999900	Conversion to the extended wheelbase of 70 mm assembled	26,90
		·
	SELECT LEG SUPPORT	
	STD leg support Amputee leg support	Elevating leg support
STD	Leg support left, footplates height - & angle adjustable	0,00
STD	Leg support right, footplates height - & angle adjustable	0,00
198004	Amputee leg support, left	135,90
198000	Amputee leg support, right	135,90
198091	Elevating leg support with gas spring/left, infinitely angle adjustable (SW 360 - 440 mm)	179,00
198092	Elevating leg support with gas spring/right, infinitely angle adjustable (SW 360 - 440 mm)	179,00
198093	Elevating leg support with gas spring/left, infinitely angle adjustable (SW 450 - 510 mm)	179,00
198094	Elevating leg support with gas spring/right, infinitely angle adjustable (SW 450 - 510 mm)	179,00

Item no.DesignationNoticePrice excl. VAT

OPTIONS OF POSITIONING



190042	Adjusable back (Velcro)	seat width 390	101,10
190043	Adjusable back (Velcro)	seat width 420	101,10
190044	Adjusable back (Velcro)	seat width 450	101,10
190045	Adjusable back (Velcro)	seat width 480	101,10
190046	Adjusable back (Velcro)	seat width 510	101,10

STD	Side panels, length adjustable (desk + long)	standard	0,00
198020	Side panels, length adjustable (desk + long) and height adjustable	le, (pair)	195,40

HEMI-ADMDESTS







	HEMI armrest, handpiece flat HEMI armrest, ha	ndpiece ergo	HEMI extension PU
196315	HEMI armrest, handpiece flat left, PU, 360° rotable	465 mm (L)	428,00
196318	HEMI armrest, handpiece flat right, PU, 360° rotable	465 mm (L)	428,00
196316	HEMI armrest, handpiece ergo left, PU, 360° rotable	477 mm (L)	453,80
196317	HEMI armrest, handpiece ergo right, PU, 360° rotable	477 mm (L)	453,80
196310	HEMI extension forearm shell PLI	70 mm (L)	78.60

WHEEL CHAIR SET







Lap belt



Anti-tip wheels

404076 Wheelchair set consisting of:

Walking stick holder for 1-2 sticks, anti-tip wheels right and left, lap belt with 2-point seat belt lock "Press" $\,$

150,10

Order form CANEO_B			
Item no.	Designation	Notice	Price excl. VAT
	VARIOUS OPTIONS		
	VANIOUS OF HUNS		
470060	Activity tray (SW 390 - 450 mm)		115,00
470061	Activity tray (SW 480 + 510 mm)		135,00
195016	Power node system with short lap belt (SW 360 - 420 mm)	assembled	1.314,70
195008	Power node system with short lap belt (sw 450 - 510 mm)	assembled	1.314,70
195015	Power node system with long lap belt (SW 360 - 420 mm)	assembled	1.314,70
195007	Power node system with long lap belt (SW 450 - 510 mm)	assembled	1.314,70
196236	Anti-tip-wheel left		46,50
196237	Anti-tip-wheel right		46,50
190033	Park brake one-hand drive, left		283,00
190034	Park brake one-hand drive, right		283,00
198065	Brake lever extension, park brake, left		26,90
198064	Brake lever extension, park brake, right		26,90
197039	One-hand drive wheel, left	not in combination with spokeguar	d on request
197040	One-hand drive wheel, right	& drum brake	
700106	Wheel set, air 7 × 1¾″		41,60
700103	Wheel set, air $24 \times 1^3/8^{\circ}$		41,60
198069	Spoke guard with fittings, transparent for drive wheel 24"	not in combination with one hand drive 197039 / 197040	98,80
196252	Headrest with mounting (SW 420 – 510 mm)	not suitable for car use	409,00
130232	The headrest cannot be combined with the drum brake.	not suitable for car use	403,00
	The head for earlier be combined with the drain brake.		
196260	Stick/caneholder with fittings (25 mm tube diameter)	for max. 2 sticks	20,90
402114	Lap belt (press with metal buckle) 1800 mm adjustable in length	not suitable for car use	32,60
190053	Infusion holder, stainless steel with two arm holder of plastic, ca. 1000 mm		170,80
100050	Push rim cover silicon 24 [®] black/grooved		71.00
196256 196257	Push rim cover silicon 24" black/smooth		71,90
19079 <i> </i>	- CONTINUOVOI SIROOTI 24 DIACKY SIIIDUUI		71,90
196259	Folding lock black		66,20
268	Backrest print with customer logo/design If you would like an individual back print, please contact us!		on request



Product group: Manual wheelchairs Product: CANEO_B

DIETZ GmbH Reutäckerstraße 12 76307 Karlsbad

info@dietz-group.de

www.dietz-group.de

Misprint, falsities, price and product changes reserved. © DIETZ GmbH, Karlsbad

Please find our General Terms and Conditions at https://shop.dietz-group.de/allgemeine-geschaeftsbedingungen-agb