

Order form CANEO_L

State 2024-01 / version 7.0



Shaping mobility.

CANEO_L

Lightweight wheelchair



CANEO_L
ivory
450 / 480 / 510
470 / 510
540 (480 - 570 in steps of 30 mm)
460
seat width + 200 mm
960 - 1005
1070-1120
850
310
240/260/280
60
420-510 in steps of 15 mm
24×1 _{3/8}
7 × 1 ¾
150
18,7 - 19,3

^{*} adjustable

Product details Basic configuration

- Corrosion resistant aluminium frame
- Tipping stability up to 10°
- Backrest angle 3° with lumbar bend
- Seat plane angle 3° (0°/6°) Sitzwinkel 3° (0°/6°)
- Comfort adjusable backrest (Velcro)
- Arm support adjustable in desk- and long length and in height
- Side panels swiveling backwards
- Lower leg length adjustable in 15 mm-steps from 420 bis 510 mm
- Foot plates height and angle adjustable with heel straps
- Park brake / drum brake (depending on verision)
- Castor angle adjustable
- Drive wheels PU 24" incl. quick release axle, swivel wheels PU 7"

Completing the order form on paper

Simply print out the order form, check the relevant component boxes to configure the product, sign the form and send it to us at: Fax: +49 7248.9186 - 86


Completing the form on a computer or tablet


Save the form on your device with a name of your choice and send it to us by e-mail: info@dietz-group.de or print it and send it via fax to: +49 7248.9186 - 86


Details to your order:		
Offer based on Order		
Offer based on selling price		
Offer based on purchase pri	ice	
	Healthcare supply store	
	Customer no.	
	Name of patient/commission	
	Delivery address	
	Comments	
	Health insurance	
	Stamp	
	Data and signature	
	Date and signature	

Key dimensions and specifications

Together with the height and weight of the user, these are the key dimensions allowing us to align the wheelchair perfectly to the needs of the user.







Personal data:


	Age of customer	
	Height (cm)	
	Weight (kg)	
1	Seat width (cm)	
2	Seat depth (cm) Length of upper leg less two finger breadths	
3	Height of backrest (cm) From seat surface to below the shoulder blades	
4	Lower leg length (cm) For the correct heigth of the foot plate	
5	Seat height, front (cm) Length of lower leg + sufficient clearance between foot plate and ground (at least 4 cm)	
6	Seat height, back (cm) Depends on front seat height, seat angle and seat depth	

	Order form CANEO_L		
Item no.	Designation	Notice	Price excl. VAT
	SELECT THE RIGHT SEAT WIDTH		
222145	CANEO_L SW 450 mm	with locking brake	1.810,00
222148	CANEO_L SW 480 mm	with locking brake	1.810,00
222151	CANEO_L SW 510 mm	with locking brake	1.810,00
223145	CANEO_L SW 450 mm	with locking- & drum brake	2.010,00
223148	CANEO_L SW 480 mm	with locking- & drum brake	2.010,00
223151	CANEO_L SW 510 mm	with locking- & drum brake	2.010,00
	No tools are needed to reconstruct the seat depth from 470 mm to 510 mm - independ		<u> </u>
	SELECT THE RIGHT SEAT & BACK HEIGHT		
999954	Seat height 540 mm	standard	0,00
999948	Seat height 480 mm		28,10
999951	Seat height 510 mm		28,10
999956	Seat height 570 mm The modification can be done by your specialist retailer without additional material.		28,10
1 96295	Backrest height 460 mm	standard	0,00
	OPTION WHEELBASE EXTENSION		
999900	Conversion to the extended wheelbase of 70 mm	assembled	26,90
	SELECT LEG SUPPORT		
	STD leg support Amputee leg support	Elevating	leg support
STD	Leg support left, footplates height - & angle adjustable		0,00
STD	Leg support right, footplates height - & angle adjustable		0,00
198004	Amputee leg support, left		135,90
198000	Amputee leg support, right		135,90
198093	Elevating leg support with gas spring/left, infinitely angle adjustable (SW 4		179,00
198094	Elevating leg support with gas spring/right, infinitely angle adjustable (SW	450 – 510 mm)	179,00

Order form CANEO_L

Item no.DesignationNoticePrice excl. VAT

OPTIONS OF POSITIONING



STD
0.70

STD

Adjusable back (Velcro)	standard	0,00
Side panels, length adjustable (desk + long) and height adjustable, (pair)	standard	0,00

HEMI ARMRESTS







HEMI armrest, handpiece flat

HEMI armrest, handpiece ergo

HEMI extension PU

196315
196318
196316
196317
196310

HEMI armrest, handpiece flat left, PU, 360° rotable	465 mm (L)	428,00
HEMI armrest, handpiece flat right, PU, 360° rotable	465 mm (L)	428,00
HEMI armrest, handpiece ergo left, PU, 360° rotable	477 mm (L)	453,80
HEMI armrest, handpiece ergo right, PU, 360° rotable	477 mm (L)	453,80
HEMI extension forearm shell, PU	70 mm (L)	78,60

WHEELCHAIR SET



Walking stick for 2 sticks



Lap belt



Anti-tip wheels

404076

Wheelchair set consisting of:

Walking stick holder for 1-2 sticks, anti-tip wheels right and left, $% \left(1-2\right) =\left(1-2\right) +\left(1-2\right) =\left(1-2\right) +\left(1-2\right) =\left(1-2\right) +\left(1-2\right) =\left(1-2\right) =\left(1-2\right) +\left(1-2\right) =\left(1-2\right) =\left($

lap belt with 2-point seat belt lock "Press"

150,10

	Order form CANEO_L		
Item no.	Designation	Notice F	Price excl. VAT
	VARIOUS OPTIONS		
	VARIOUS UPTIONS		
470060	Activity tray (SW 390 - 450 mm)		115,00
470061	Activity tray (SW 480 + 510 mm)		135,00
190054	Activity tray half size, foldable down, left/right		220,20
196236	Anti-tip-wheel left		46,50
196237	Anti-tip-wheel right		46,50
100207			40,00
190033	Park brake one-hand drive, left		283,00
190034	Park brake one-hand drive, right		283,00
197039	One-hand drive wheel, left	approved uo to 140 kg userweight;	on request
197040	One-hand drive wheel, right	not in combination with spokeguard & drum brake	Ŷ.
700106	Wheel set, air $7 \times 1\%$		41,60
700103	Wheel set, air 24 × 1³/8"		41,60
100005	Brake lever extension, park brake, l eft		26.00
198065	Brake lever extension, park brake, right		26,90 26,90
130004	Brano tever extension, park brane, ngik		20,30
198069	Spoke guard with fittings, transparent for drive wheel 24"		98,80
100050	Lie advect with requiring (OW 400 - 510 mars)		400.00
196252	Headrest with mounting (SW 420 – 510 mm) The headrest cannot be combined with the drum brake.	not suitable for car use	409,00
	THE HEADIEST CAINIOT DE COMBINED WITH THE DIGIT DI AKE.		
196260	Stick/caneholder with fittings (25 mm tube diameter)	for max. 2 sticks	20,90
402114	Lap belt (press with metal buckle) 1800 mm adjustable in length	not suitable for car use	32,60
190053	Infusion holder, stainless steel with two arm holder of plastic, ca. 1000 mm		170,80
196256	Push rim cover silicon 24" black/grooved		71,90
196257	Push rim cover silicon 24" black/smooth		71,90
.00207	,		, ,,00
196259	Folding lock black		66,20
268	Backrest print with customer logo/design If you would like an individual back print, please contact us!		on request

▲ DIETZ GROUP

Productgroup: Manual wheelchair Product: CANEO_L

DIETZ GmbH Reutäckerstraße 12 76307 Karlsbad info@dietz-group.de www.dietz-group.de

Misprint, falsities, price and product changes reserved. © DIETZ GmbH, Karlsbad

Please find our General Terms and Conditions at https://shop.dietz-group.de/allgemeine-geschaeftsbedingungen-agb