

Order form CANEO_S

State 2024-01 / version 7.0



Shaping mobility.



TECHNICAL DATA	CANEO_S	
Colour	ivory	
Seat width (mm)	360/390/420/450	480/510
Seat depth* (mm)	400 /	440
Seat height* (mm)	420-510 in ste	ps of 30 mm
Backrest height (mm)	400 / 430	
Overall width (mm)	seat width + 200 mm	
Overall height (mm)	830-920 (push handles infinetely variable up to 1020 mm)	
Overall length (mm)	1070-1120	
Overall length w/o leg supports (mm)	780	
Overall width folded (mm)	310	
Arm support height* (mm)	240/260/280	
Arm support width (mm)	60	
Lower leg length* (mm)	420-510 in steps of 15 mm	
Rear wheels diameter (inch)	24×1 _{3/8}	
Front wheels diameter (inch)	7 × 1 ¾	
Max. load (kg)	125	130
Weight (kg)	16,2-17,3	18-18,2

^{*} adjustable

Product details Basic configuration

- Corrosion resistant aluminium frame
- Tipping stability up to 10°
- Backrest angle 3° with lumbar bend Seat plane angle 3° (0°/6°)
- Comfort adjusable backrest (Velcro)
- Arm support adjustable in desk- and long length and in height
- Side panels swiveling backwards
- Lower leg length adjustable in 15 mm-steps from 420 bis 510 mm
- Foot plates height and angle adjustable with heel straps
- Park brake / drum brake (depending on verision)
- Push handles height adjustable
- Drive wheels PU 24" incl. quick release axle, swivel wheels PU 7"
- Crash-test certified according to ISO 7176-19; approved for passenger transport in the vehicle with headrest suitable for transport

Completing the order form on paper

Details to your order:

Simply print out the order form, check the relevant component boxes to configure the product, sign the form and send it to us at: Fax: +49 7248.9186 - 86

Completing the form on a computer or tablet


Save the form on your device with a name of your choice and send it to us by e-mail: info@dietz-group.de or print it and send it via fax to: +49 7248.9186 - 86


Date and signature


Offer based on Order			
Offer based on selling price			
Offer based on purchase price	9		
	Healthcare supply store		
	Customer no.		
	Name of patient/commission		
	Delivery address		
	Comments		
	Health insurance		
	Stamp		
	Offer based on selling price	Offer based on purchase price Healthcare supply store Customer no. Name of patient/commission Delivery address Comments	Offer based on purchase price Healthcare supply store Customer no. Name of patient/commission Delivery address Comments Health insurance

Key dimensions and specifications

Together with the height and weight of the user, these are the key dimensions allowing us to align the wheelchair perfectly to the needs of the user.








Personal data:

reisulial data.		
	Age of customer	
	Height (cm)	
	Weight (kg)	
1	Seat width (cm)	
2	Seat depth (cm) Length of upper leg less two finger breadths	
3	Height of backrest (cm) From seat surface to below the shoulder blades	
4	Lower leg length (cm) For the correct heigth of the foot plate	
5	Seat height, front (cm) Length of lower leg + sufficient clearance between foot plate and ground (at least 4 cm)	
6	Seat height, back (cm) Depends on front seat height, seat angle and seat depth	

	Order form CANEO_S		
Item no.	Designation	Notice	Price excl. VAT
	SELECT THE RIGHT SEAT WIDTH		
210136	CANEO_S SW 360 mm	with locking brake	1.210,00
210139	CANEO_S SW 390 mm	with locking brake	1.010,00
210142	CANEO_S SW 420 mm	with locking brake	1.010,00
210145	CANEO_S SW 450 mm	with locking brake	1.010,00
210148	CANEO_S SW 480 mm	with locking brake	1.010,00
210151	CANEO_S SW 510 mm	with locking brake	1.060,00
211136	CANEO_S SW 360 mm	with locking- & drum brake	1.360,00
211139	CANEO_S SW 390 mm	with locking- & drum brake	1.160,00
211142	CANEO_S SW 420 mm	with locking- & drum brake	1.160,00
211145	CANEO_S SW 450 mm	with locking- & drum brake	1.160,00
211148	CANEO_S SW 480 mm	with locking- & drum brake	1.160,00
211151	CANEO_S SW 510 mm	with locking- & drum brake	1.260,00
	No tools are needed to reconstruct the seat depth from 400 mm to 440 mm.		· ·
	SELECT THE RIGHT SEAT- & BACK HEIGHT		
196286	Seat height 510 mm	standard	#BEZUG!
999942	Seat height 420 mm		28,10
999945	Seat height 450 mm		28,10
999948	Seat height 480 mm		28,10
196296	Backrest height 400 mm	standard	0,00
999907	Backrest height 430 mm		28,10
	OPTION WHEELBASE EXTENSION		
999900	Conversion to the extended wheelbase of 70 mm	assembled	26,90
	SELECT LEG SUPPORT		
	STD leg support Amputee leg support	Elevating	leg support
STD	Leg support left, footplates height - & angle adjustable	v	
STD	Leg support right, footplates height - & angle adjustable		0,00 0,00
198004	Amputee leg support, left		135,90
198004	Amputee leg support, right		135,90
198091	Elevating leg support with gas spring/left, infinitely angle adjustable (SW 360 - 440 mm	179,00
198092	Elevating leg support with gas spring/ right, infinitely angle adjustable	•	179,00
198093	Elevating leg support with gas spring/ left, infinitely angle adjustable (179,00
198094	Elevating leg support with gas spring/ right, infinitely angle adjustable		179,00

Designation Price excl. VAT



STD
STD

Push handles (pair) height adjustable	standard	0,00
Adjustable back (Velcro)	standard	0,00
Side panels, length adjustable (desk + long) and height adjustable, (pair)	standard	0,00







HEMI armrest, handpiece flat

HEMI armrest, handpiece ergo

HEMI extension PU

196315
196318
196316
196317
196310

465 mm (L)	428,00
	428,00
477 mm (L)	453,80
477 mm (L)	453,80
70 mm (L)	78,60
	477 mm (L)



Walking stick for 2 sticks



Lap belt



Anti-tip wheels

404076

Wheelchair set consisting of:

Walking stick holder for 1-2 sticks, anti-tip wheels right and left,

lap belt with 2-point seat belt lock "Press"

150,10

Order form CANEO_S			
Item no.	Designation	Notice P	rice excl. VAT
	VARIOUS OPTIONS		
	VARIOUS OF HUNS		
470060	Activity tray (SW 390 - 450 mm)		115,00
470061	Activity tray (SW 480 + 510 mm)		135,00
190054	Activity tray half size, foldable down, left/right		220,20
195016	Power node system with short lap belt (SW 360 - 420 mm)	assembled	1.314,70
195008	Power node system with short lap belt (SW 450 - 510 mm)	assembled	1.314,70
195015	Power node system with long lap belt (SW 360 - 420 mm)	assembled	1.314,70
195007	Power node system with long lap belt (SW 450 – 510 mm)	assembled	1.314,70
196236	Anti-tip-wheel left		46,50
196230	Anti-tip-wheel right		46,50
			.5,55
190033	Park brake one-hand drive, left		283,00
190034	Park brake one-hand drive, right		283,00
197039	One-hand drive wheel, left	not in combination with spokeguard	on request
190034	One-hand drive wheel, right	& drum brake	onrequest
198065	Brake lever extension, park brake, l eft		26,90
198063	Brake lever extension, park brake, right		26,90
700106	Wheel set, air 7 × 1¾″		41,60
700103	Wheel set, air $24 \times 1^3/8^{\circ}$		41,60
198069	Spoke guard with fittings, transparent for drive wheel 24"		98,80
196252	Headrest with mounting (SW 420 - 510 mm)	not suitable for car use	409,00
	The headrest cannot be combined with the drum brake.		
196260	Stick/caneholder with fittings (25 mm tube diameter)	for max, 2 sticks	20,90
402114	Lap belt (press with metal buckle) 1800 mm adjustable in length	not suitable for car use	32,60
190053	Infusion holder, stainless steel with two arm holder of plastic, ca. 1000 mm		170,80
			
196256	Push rim cover silicon 24" black/grooved		71,90
196257	Push rim cover silicon 24" black/smooth		71,90
196259	Folding lock black		66,20
268	Backrest print with customer logo/design If you would like an individual back print, please contact us!		on request



Productgroup: Manual wheelchairs

Product: CANEO_S

DIETZ GmbH Reutäckerstraße 12 76307 Karlsbad info@dietz-group.de www.dietz-group.de

Misprint, falsities, price and product changes reserved. © DIETZ GmbH, Karlsbad
Please find our General Terms and Conditions at https://shop.dietz-group.de/allgemeine-geschaeftsbedingungen-agb