

Order form AS[01] adaptive wheelchair

Status 2022-06 / Version 13.1



The effective
product system for
individual needs

Shaping mobility.

Completing the form on paper

Simply print out the order form, check the relevant component boxes to configure the product, sign the form and send it to us at:

Fax: +49 7248.9186 - 86

Completing the form on a computer or tablet

If you open the document in Acrobat, a menu bar highlighted in colour appears at the top edge.

If the option „Highlight Existing Fields“ is activated, all writeable and selectable fields will be displayed.

- Circular selection fields indicate that a selection has to be made within the chosen selection.
- Circular filled selection fields indicate that these options are included in the standard.
- Square selection fields are not subject to any conditions and are freely selectable and deselectable.

Save the order form locally on your computer under a free selectable name and send it to our customer service via email / fax :

info@dietz-group.com

fax: +49 7248.9186 - 86

Printing errors, mistakes and changes to prices and products reserved. © DIETZ GmbH REHA-PRODUKTE, Karlsbad
This catalogue may be reprinted, in part or in full, only subject to the prior written consent of DIETZ GmbH, Karlsbad.

You can find our general terms and conditions at: <https://shop.dietz-group.de/allgemeine-geschaeftsbedingungen-agb>

Details to your order:

Healthcare supply store		
Customer no.		
Order	Offer based on selling price	Offer based on purchase price
Name of patient/commission		
Delivery address		
Comments		
Company stamp		
Date, signature		



Pictured with atomic umbra clothes guards/wheel guards and easy-running 24" wheels



Pictured with pearl white clothes guards/wheel guards and easy-running 24" wheels



AS [01]

	AS [01]	
	[from 125 kg]	[from 150 kg]
Colours	Frame in matt black, wheel guards in pearl white, petrol or atomic umbra / titan grey / cobalt blue / black	
Seat depth (mm)	360 – 450 in increments of 30 mm	480 – 570 in increments of 30 mm
Seat width (mm)	360 – 540 in increments of 20 mm	
Seat height, front (mm)	412,5 – 525	
Seat height, back (mm)	387,5 – 525	
Back height (mm)	290 – 500 in increments of 30 mm	
Adjustable back rest angle:	adjustable -5° / 0° / 5° / 10° / 15°	
Height of push handles (mm)	860 – 980 depending on the back height (option: +100 mm adjustment range)	
Overall width (mm)	Seat width +200 mm	
Width when folded (mm)	280 with wheels / 300 with wheels and drum brakes	
Overall height (mm)	790 – 1140	
Overall length including leg rests (mm)	Seat depth +450 mm	
Overall length excluding leg rests (mm)	Seat depth +330 mm	
Height of armrests (mm)	220 – 260	
Width of armrests (mm)	60	
Length of armrests (mm)	Desk: 250 / Long: 350	
Length of leg rests (mm)	370 – 510 in increments of 15 mm	
Drive wheel diameter (inches)	24	
Castor diameter (mm//inches)	125 / 150 / 175 // 5 / 6 / 7	
Tipping stability (degrees)	10°	
Max. load (kg)	125	150
Weight (kg)	From 12.8	

Product details – basic configuration

- Approved for passenger transport in the vehicle
- Aluminium frame and cross strut
- Upholstered adjustable back rest (Velcro)
- Adjustable camber on drive wheels 0° / 3°
- Choice of leg rest angles: 70° / 80° / 90°
- Three types of wheel guards available (clothes guard, PU armrests, desk/long)
- Extremely stable front wheel fittings
- Ideally suited to add-on motors
- Versatile adjustment options with the need for extra parts (e.g. seat height front/back and angle of back rest)
- clothes guards/wheel guards in 6 colours available
- Crash test certified according to ISO 7176-19; Approved for passenger transport in the vehicle with a headrest suitable for transport




Price for basic configuration (in EUR)

from 2.141,00

including wheel guards and separate leg rests

Key dimensions and specifications

Together with the height and weight of the user, these are the key dimensions allowing us to align the wheelchair perfectly to the needs of the user.



	DATA
	Age of customer
	Height (cm)
	Weight (kg)
1	Seat width (cm)
2	Seat depth (cm) Length of upper leg less two finger breadths
3	Height of upholstered backrest (cm) From seat surface to below the shoulder blades
4	Lower leg length (cm) For the correct height of the foot plate
5	Seat height, front (cm) Length of lower leg + sufficient clearance between foot plate and ground (at least 4 cm)
6	Seat height, back (cm) Depends on front seat height, seat angle and seat depth

AS[01] order form

Description

SEAT

Seat width to seat depth

Seat depth can be adjusted by 30 mm above the Velcro tape, with no tools

	Seat width (mm)	360	380	400	420	440	460	480	500	520	540	
Seat depth (mm) *	(360) 390											
	Item no.	180113	180115	180118	180121	180124	180130	180134	180138	180142		2.141,00
	(420) 450											
	Item no.	180114	180116	180119	180122	180125	180131	180135	180139	180143	180147	2.141,00
	(480) 510											
	Item no.		180117	180120	180123	180126	180132	180136	180140	180144	180148	2.282,00
	(540) 570											
	Item no.			180150	180151	180127	180133	180137	180141	180145	180149	2.282,00
<p>* Maximum load</p> <p>125 kg for the seat depths (360) 390 / (420) 450, single cross strut</p> <p>150 kg for the seat depths (480) 510 / (540) 570 double cross strut</p>												

Seat depth can be adjusted by 30 mm above the Velcro tape, with no tools

AS[01] order form

Description

SEAT

Seat height, back (mm) and drive wheel height (inches)

Adjustable in 12.5 mm increments with no extra mounting materials

Seat height, back	387.5	400	412.5	425	437.5	450	462.5	475	487.5	500
22" drive wheel										

Seat height, back	412.5	425	437.5	450	462.5	475	487.5	500	512.5	525
24" drive wheel										
Item no.	181031	181032	181033	181034	181035	181036	181037	181038	181039	181040

Seat height, back	437.5	450	462.5	475	487.5	500	512.5	525	
26" drive wheel									

The combination with 22 "and 26" drive wheels must be individually checked depending on the selected seat height and seat depth. Our individual team will be happy to advise you.

Seat height, front, and castor diameter (mm)

Adjustable in 12.5 mm increments with no extra mounting materials

Seat height, front	412.5	425	437.5	450	462.5	475	487.5	500	
Castor 125 mm / 5"									
Item no.	181011	181012	181013	181014	181015	181016	181017	181018	

Seat height, front	425	437.5	450	462.5	475	487.5	500	512.5	
Castor 150 mm / 6"									
Item no.	181081	181082	181083	181084	181085	181086	181087	181088	

Seat height, front	45	462.5	475	487.5	50	512.5	525	
Castor 175 mm / 7"								
Item no.	181021	181022	181023	181024	181025	181026	181027	



Warning

We strongly recommend that the seat should not be lower at the front than at the back. Otherwise, the danger exists that the wheelchair user may slide or fall forward and out of the chair.

AS[01] order form

Description

ADI BACK SYSTEM

Back height to back width

Aluminum back shell with quick release

The adjustment ranges of the quick release holder:

Seat depth: 30 mm
 Back width: 20 mm (per side)
 Back angle: +10° / -10°

		Contour 62.5 mm 					
ADI back height (mm)		250	330	410	460	510	
ADI back width (mm)	360 compatible with wheelchair SW 360 mm						
	Item no.	184423	184430	184439			
	380 compatible with wheelchair SW 360 mm						
	Item no.	184424	184431	184440			
	410 compatible with wheelchair SW 380-400 mm						
	Item no.	184425	184432	184441	184448	184455	
	430 compatible with wheelchair SW 400-420 mm						
	Item no.	184426	184434	184443	184450	184457	
	460 compatible with wheelchair SW 440 mm						
	Item no.	184427	184435	184444	184451	184458	
	EURO*	682,00 €	724,00 €			736,00 €	
	480 compatible with wheelchair SW 460 mm						
Item no.	184428	184436	184445	184452	184459		
510 compatible with wheelchair SW 480 - 500 mm							
Item no.	184429	184437	184446	184453	184460		
EURO*	708,00 €	750,00 €			757,00 €		

62.5 mm contour can be selected according or up to max. 3 mm wider as the seat width of the wheelchair.

AS[01] order form

Description

ADI BACK SYSTEM

Back height to back width

Aluminum back shell with quick release

The adjustment ranges of the quick release holder:

Seat depth: 30 mm
 Back width: 20 mm (per side)
 Back angle: +10° / -10°

		Contour 100 mm 				
ADI back height (mm)		250	330	410	460	510
ADI back width (mm)	380 compatible with wheelchair SW 360 mm					
	Item no.	184493	184463	184472		
	410 compatible with wheelchair SW 380-400 mm					
	Item no.	184494	184464	184473	184480	184487
	430 compatible with wheelchair SW 400-420 mm					
	Item no.	184495	184466	184475	184482	184489
	460 compatible with wheelchair SW 440 mm					
	Item no.	184496	184467	184476	184483	184490
	EURO*	832,00 €				864,00 €
	480 compatible with wheelchair SW 460 mm					
	Item no.	184497	184468	184477	184484	184491
	510 compatible with wheelchair SW 480 - 500 mm					
	Item no.	184498	184469	184478	184485	184492
	EURO*	859,00 €				885,00 €

100 mm contour can be selected 10 to max. 30 mm wider than the seat width of the wheelchair.

AS[01] order form

Selection	Item no.	Description	EURO *
-----------	----------	-------------	--------

ACCESSORIES ADI BACK SYSTEM

Push handles

182270	Push handles fixed	No drum brake	0,00
182271	Push handles, height adjustable 100 mm	available from push handle height 450-550 mm	217,00

⊗ Pre-selection recommended by DIETZ

These combinations are additionally possible. Please select the desired combination.

		ADI back height (mm)	250	330	410	460	510
Push handle height (mm)	fixed 350 mm		⊗	⊗			
	fixed 410 mm/height adjustable 450-550 mm		⊗	⊗			
	fixed 470 mm/height adjustable 510-610 mm				⊗	⊗	
	fixed 530 mm/height adjustable 570-670 mm						⊗

Headrests

185152	Ultra headrest, occipital and neck pad separated, 3-settings adjustable (angle, height, depth)	784,00
185143	Lateral pads, brackets 230 mm, left + right, swing away, pad 2 pcs. (width x height) 114 x 51 mm	567,00
185144	Lateral pads, brackets 230 mm, left, swing away, pad 1 pcs. (width x height) 114 x 51 mm	392,00
185145	Lateral pads, brackets 230 mm, right, swing away, pad 1 pcs. (width x height) 114 x 51 mm	392,00

Additional headrests can be found on a separate order form on our website.

AS[01]RF order form

Description

EUROS *

SEAT CUSHION FOR POSITIONING AND DECUBITUS PREVENTION

Seat width to seat depth

Vicair Active O2 cushion height 60 mm

		Seat width (mm)	360	380	400	420	440	460	480	500	520	540	
Seat depth (mm)	360												
		Item no.	184540	184544	184549	184553							630,00
	390												
		Item no.	184541	184545	184550	184554	on request					630,00	
	420												
		Item no.	184542	184546	184552	184551	184558	184562	on request				630,00
	450												
		Item no.	184543	184547	184548	184555	184559	184563	on request				630,00
	480												
		Item no.		on request		184556	184560	184564	184566	184568			630,00
	510												
		Item no.		on request		184557	184561	184565	184567	184569			630,00
540													
	Item no.		on request									630,00	

Vicair Active O2 cushion height 90 mm

		Seat width (mm)	360	380	400	420	440	460	480	500	520	540	
Seat depth (mm)	360												
		Item no.	184580	184584	184588	184592							630,00
	390												
		Item no.	184581	184585	184589	184593	on request					630,00	
	420												
		Item no.	184582	184586	184590	184594	184598	184701	on request				630,00
	450												
		Item no.	184583	184587	184591	184595	184599	184702	on request				630,00
	480												
		Item no.		on request		184596	184600	184703	184705	184707			630,00
	510												
		Item no.		on request		184597	184700	184704	184706	184708			630,00
540													
	Item no.		on request									630,00	

Deviations from the wheelchair dimensions of +/- 10 mm are negligible.

AS[01] order form

Selection	Item no.	Description	EUROS *
-----------	----------	-------------	---------

WHEELS

Drive wheels

All drive wheels have a 12 mm quick-release axle

182012	24" wheel rim, aluminium hand rim and hub, tangential spokes, black hub and wheel rim, silver hand rim	puncture-resistant PU, black tyres 24 x 1"	0,00
182013	24" wheel rim, aluminium hand rim and hub, tangential spokes, black hub and wheel rim, silver hand rim	Air-filled tyres Marathon plus 24 x 1"	65,00
182015	Easy-running 24" wheels, hollow wheel rim, aluminium hand rim, radial spokes, black hub and wheel rim, atomic umbra hand rim approved for user weights up to 100 kg	Air-filled tyres Marathon plus 24 x 1"	239,00
182016	Easy-running 24" wheels, hollow wheel rim, black anodized aluminium hand rim, radial spokes, black hub and wheel rim, black hand rim approved for user weights up to 100 kg	Air-filled tyres Marathon plus 24 x 1"	239,00
182018	24" wheel rim, aluminium hand rim and hub, tangential spokes, including drum brake for assistant, black hub and wheel rim, silver hand rim	Puncture-resistant PU, grey tyres 24 x 1 3/8"	138,00
182021	24" wheel rim, aluminium hand rim and hub, tangential spokes, including drum brake for assistant, black hub and wheel rim, silver hand rim	Air-filled tyres Marathon plus 24 x 1"	207,00

Further drive wheels on request

	22" wheel rim, aluminium hand rim and hub, tangential spokes, hub, wheel rim and hand rim black	Air-filled tyres Marathon plus, 22 x 1"	on request
	22" wheel rim, aluminium hand rim and hub, tangential spokes, hub, wheel rim and hand rim black	Puncture-resistant PU, black tyres 22 x 1"	on request
	22" wheel rim, aluminium hand rim and hub, tangential spokes, including drum brake for assistant, hub, wheel rim and hand rim black	Air-filled tyres Marathon plus, 22 x 1"	on request
	22" wheel rim, aluminium hand rim and hub, tangential spokes, including drum brake for assistant, hub, wheel rim and hand rim black	Puncture-resistant PU, black tyres 22 x 1"	on request
	26" wheel rim, aluminium hand rim and hub, tangential spokes, hub, wheel rim and hand rim black	Air-filled tyres Marathon plus, 26 x 1"	on request
	26" wheel rim, aluminium hand rim and hub, tangential spokes, hub, wheel rim and hand rim black	Puncture-resistant PU, grey tyres 26 x 1"	on request
	26" wheel rim, aluminium hand rim and hub, tangential spokes, including drum brake for assistant, hub, wheel rim and hand rim black	Air-filled tyres Marathon plus, 26 x 1"	on request
	26" wheel rim, aluminium hand rim and hub, tangential spokes, including drum brake for assistant, hub, wheel rim and hand rim black	Puncture-resistant PU, grey tyres 26 x 1"	on request

The combination with 22 "and 26" drive wheels must be individually tested depending on the selected seat height and seat depth. Our individual team will be happy to advise you.

AS[01]RF order form


Selection	Item no.	Description	EUROS *
-----------	----------	-------------	---------

WHEELS

Position

Drive wheel position: +20 mm (to the back) to -80 mm (to the front) of the midpoint of the back rest tube

181061	+ 20 mm	Extended wheelbase for add-on motors and leg rests for amputees / cannot be combined with 22" drive wheels	0,00
181063	- 20 mm		0,00
181064	- 40 mm	Cannot be combined with seat depth (360) 390 mm Anti-tipping wheels (Art.-Nr. 182201 / 182202) recommended	0,00
181065	- 60 mm	Cannot be combined with seat depth (360) 390 mm Anti-tipping wheels (Art.-Nr. 182201 / 182202) recommended	0,00
181066	- 80 mm	Cannot be combined with seat depth (360) 390 mm Anti-tipping wheels (Art.-Nr. 182201 / 182202) necessary	0,00



Camber

Adjustable via drive wheel adapter with no extra mounting materials

181071	0°		0,00
181072	3°	Cannot be combined with drum brake or clothes guard adjustable-height arm rests	0,00

Total width with camber angle 0° = SW + 200 mm / 3° = SW + 260 mm

CASTORS

182004	Easy-running Alucore wheels, 125 mm / 5" silver anodized	137,00
182005	Easy-running Alucore wheels, 125 mm / 5" black powder coated	137,00
182001	PU tyre 125 mm / 5", puncture-resistan, plastic wheel rims	0,00
182002	PU tyre 150 mm / 6", puncture-resistan, plastic wheel rims	0,00
182003	PU tyre 175 mm / 7", puncture-resistan, plastic wheel rims	0,00

WHEEL FORKS

182006	Wheel fork (2 pc.), silver anodized	0,00
182007	Wheel fork (2 pc.), black anodized	0,00

REAR WHEEL ADAPTER

182008	Rear wheel adapter (2 pc.), silver anodized	0,00
182009	Rear wheel adapter (2 pc.), black anodized	0,00

HANDRAIL

Gripp

182026	24" wheel handrail Tetra-Gripp, black, montiert	Special coated handrail for quadriplegics	271,00
182027	24" wheel handrail Ergo-Gripp, black anodized, montiert	Ergonomic handrail e.g. at multiple sclerosis, paraplegia, incomplete quadriplegia	271,00

Cannot be combined with puncture-resistant PU or one hand drive.

Retrofitting of the articles only possible at DIETZ. The retrofit is associated with additional costs.

AS[01] order form

Selection	Item no.	Description	EUROS *
-----------	----------	-------------	---------

BACK REST

Upholstered back rest height

Push handles

Height adjustable by 30 mm

183000	(350) 380 mm	Adjustable height		217,00
183010	(410) 440 mm	Adjustable height		217,00
183020	(470) 500 mm	Adjustable height		217,00
183060	(290) 320 mm	Rigid	No drum brake, up to SW 440 mm	0,00
183030	(350) 380 mm	Rigid	No drum brake	0,00
183040	(410) 440 mm	Rigid	No drum brake	0,00
183050	(470) 500 mm	Rigid	No drum brake	0,00

For wheelchairs with SB 360, the back cushions can be combined in heights (290) 320, (350) 380 and (410) 440 mm
Additional back heights can be requested through a special construction

Angle of back rest

Adjustable in 5° increments

181121	- 5°	Please note: limited foldability		0,00
181122	0°			0,00
181123	5°			0,00
181124	10°	Anti-tipping wheels (Art.-Nr. 182201 / 182202) recommended		0,00
181125	15°	Anti-tipping wheels (Art.-Nr. 182201 / 182202) recommended		0,00

AS[01] order form

Selection	Item no.	Description	EUROS *
-----------	----------	-------------	---------

WHEEL GUARDS

Aluminium clothes guard / wheel cover

182041	with aluminium clothes guard and wheel cover, permanent mounting, cannot be swivelled off, atomic umbra	0,00
182043	with aluminium clothes guard and wheel cover, permanent mounting, cannot be swivelled off, black	0,00
182044	with aluminium clothes guard and wheel cover, permanent mounting, cannot be swivelled off, petrol	0,00
182045	with aluminium clothes guard and wheel cover, permanent mounting, cannot be swivelled off, titan grey	0,00
182047	with aluminium clothes guard and wheel cover, permanent mounting, cannot be swivelled off, cobalt blue	0,00
182048	with aluminium clothes guard and wheel cover, permanent mounting, cannot be swivelled off, pearl white	0,00
182053	with aluminium clothes guard and wheel cover, permanent mounting, cannot be swivelled off, garnet red	0,00

Aluminium clothes guard / wheel cover / height-adjustable armrest


182042	Aluminium clothes guard and wheel cover, permanent mounting, cannot be swivelled off, including adjustable-height arm rests (PU), long- or desk-mounted, atomic umbra	196,00
182046	Aluminium clothes guard and wheel cover, permanent mounting, cannot be swivelled off, including adjustable-height arm rests (PU), long- or desk-mounted, petrol	196,00
182049	Aluminium clothes guard and wheel cover, permanent mounting, cannot be swivelled off, including adjustable-height arm rests (PU), long- or desk-mounted, pearl white	196,00
182050	Aluminium clothes guard and wheel cover, permanent mounting, cannot be swivelled off, including adjustable-height arm rests (PU), long- or desk-mounted, black	196,00
182051	Aluminium clothes guard and wheel cover, permanent mounting, cannot be swivelled off, including adjustable-height arm rests (PU), long- or desk-mounted, titan grey	196,00
182052	Aluminium clothes guard and wheel cover, permanent mounting, cannot be swivelled off, including adjustable-height arm rests (PU), long- or desk-mounted, cobalt blue	196,00
182054	Aluminium clothes guard and wheel cover, permanent mounting, cannot be swivelled off, including adjustable-height arm rests (PU), long- or desk-mounted, garnet red	196,00

Cannot be combined with 3° camber for drive wheels


Clothes / wheel guards of plastic including adjustable-height & swivelling off backwards

182061	with plastic clothes guard, can be swivelled off to the back, including adjustable-height arm rests (PU), long- or desk-mounted, matt black	196,00
--------	---	---------------


Cannot be combined with 3° camber for drive wheels



Aluminium clothes guard / wheel cover



Aluminium clothes guard / wheel cover, adjustable-height arm rests (PU)



Plastic clothes guard, can be swivelled off to the back, adjustable-height arm rests (PU)

AS[01] order form

Selection	Item no.	Description	EUROS *
-----------	----------	-------------	---------

HEMI ARMREST

182064	HEMI armrest, handpiece flat left, PU, 360° rotatable	465 mm (length)	377,00
182067	HEMI armrest, handpiece flat right, PU, 360° rotatable	465 mm (length)	377,00
182065	HEMI armrest, handpiece ergo left, PU, 360° rotatable	477 mm (length)	401,00
182066	HEMI armrest, handpiece ergo right, PU, 360° rotatable	477 mm (length)	401,00
182063	Extension PU, forearm shell	70 mm (length)	69,00



HEMI armrest, handpiece flat



HEMI armrest, handpiece ergo



Extension

LEG REST (split removable)

Leg Rest Hangers

182101	80° leg rest	Release lever at top, swivels out to the side	0,00
182102	70° leg rest	Release lever at bottom, swivels out to the side	0,00
182103	90° leg rest, not combinable with castor 6"/7"	Release lever at top, swivels out to the side	133,00

Customized Leg Rest Hangers

182104	Customized leg rest, lower leg length 330 – 470 mm		on request
182104	Customized leg rest, lower leg length 330 – 470 mm		on request

Not possible with the leg rest hangers 70°

Leg Rest Foot Part


182181	Leg rest foot part, black, pair	Fold-up design with heel strap	0,00
182191	Leg rest foot part, black, pair	Fold-up design, adjustable angle, with heel strap (not possible with SW 360)	52,00
182184	Leg rest foot part, blue, pair	Fold-up design with heel strap	0,00
182194	Leg rest foot part, blue, pair	Fold-up design, adjustable angle, with heel strap (not possible with SW 360)	52,00
182131	Contiguous aluminium foot plate	Fold-up design with calf strap	322,00

Accessories


182141	BW leg rest, right	Adjustable horizontally	158,00
182151	BW leg rest, left	Adjustable horizontally	158,00
182161	Leg rest for amputees, adjustable angle, right		142,00
182171	Leg rest for amputees, adjustable angle, left		142,00




Standard leg rest



Leg rest with adjustable foot plate angle



Leg rest with adjustable foot board angle



Horizontally adjustable leg rest, foot plate with adjustable angle



Leg rest for amputees, adjustable angle

AS[01] order form


Selection	Item no.	Description	EUROS *
-----------	----------	-------------	---------

SPECIAL COLORS


Special paint

181056	Side frame and Clothes guard aluminum	RAL colour	480,00
181057	Side frame	RAL colour	320,00
181058	Clothes guard aluminum	RAL colour	240,00


The clothes guard made of plastic is not paintable



Clothes guard aluminum



Clothes guard aluminum with height adjustable armrest



Example special colors side frames

GENERAL ACCESSORIES

182202	Anti-tipping, swivel-off wheel	Right	108,00
182201	Anti-tipping, swivel-off wheel	Left	108,00
198069	Spoke guard with fittings transparent, drive wheel 24" not combinable with easy-running 24" wheels, and one-hand drive on the active side.	Pair	88,00
182212	100 mm fold-out brake lever extension	Right	43,00
182211	100 mm fold-out brake lever extension	Left	43,00
182222	Walking stick holder (only in conjunction with foot tube)	Right	16,00
182221	Walking stick holder (only in conjunction with foot tube)	Left	16,00
182231	Activity tray, up to SW 440 mm		150,00
182232	Activity tray, up to SW 460 mm		150,00
182241	Foot tube	Right	38,00
182242	Foot tube	Left	38,00
182260	One hand drive, incl. drive wheels one-hand brake system* Approved for user weights up to 120 kg Not combinable with 3° camber of the castors, drum brakes and TETRA/ERGO-GRIPP In connection with the anti-tilt wheel, assembly is only possible at a seat height of 437.5-500 mm.	Right	1.213,00
182261	One hand drive, incl. drive wheels one-hand brake system* Approved for user weights up to 120 kg Not combinable with 3° camber of the castors, drum brakes and TETRA/ERGO-GRIPP In connection with the anti-tilt wheel, assembly is only possible at a seat height of 437.5-500 mm.	Left	1.213,00
182254	One-hand brake system, inkl. 100 mm fold-out brake lever extension*	Right	223,00
182255	One-hand brake system, inkl. 100 mm fold-out brake lever extension*	Left	223,00
182262	Hemi Kit, Spacer Block: Steering wheels 30 mm exposed for more foot clearance		317,00
182250	Wheelchair restraint system with head rest and seatbelt		1.285,00

* Retrofitting of the articles is only possible at DIETZ. Retrofitting is associated with additional costs.



Productgroup: adaptive wheelchair
Product: AS[01]

DIETZ GmbH
Reutäckerstraße 12
76307 Karlsbad
info@dietz-group.de
www.dietz-group.de